

 **AMERICA'S**
AIRCRAFT ENGINES, INC.
TULSA, OKLAHOMA

 *The Standard*
ENGINE LOG

ASA-84-2

LIMITED WARRANTY

TO: ENCORE AVIATION AIRCRAFT: CESSNA 182
ENGINE: O-470 S REGISTRATION: _____
SERIAL: 464424 TACH OR HOBBS: _____
WORK ORDER 1297228 DATE OF OVERHAUL: 1/12/98

AMERICA'S AIRCRAFT ENGINES, INC. warrants this engine, to be free from defects in materials and workmanship furnished by America's Aircraft Engines, Inc. for six (6) months, or 240 hours. Accessories will be warranted by respective vendors.

This engine, excluding accessories, is further warranted to be free from defects in materials furnished by America's Aircraft Engines, Inc. until T.B.O. on a pro-rated basis on parts. For the purpose of calculating pro-ration, a minimum of 40 hours per month from the date of overhaul will apply. Replacement or repair of engine, component, or parts under this Limited Warranty will not extend the warranty period. Installation or removal cost are excluded under pro-rated portion. Cracked cylinders and cracked crankcases excluded from all warranty unless it can be determined that they are a direct result of improper assembly.

To exercise this Limited Warranty, America's Aircraft Engines, Inc. must be promptly notified of the discovery of any defect or failure by call or letter fully describing such defect or failure to:


America's Aircraft Engines, Inc.
P.O. Box 582453 • Tulsa, OK 74158
(918) 371-3000

All warranty work is to be accomplished in Tulsa, Oklahoma by America's Aircraft Engines, Inc. unless approval is granted in writing by America's Aircraft Engines, Inc. for work to be accomplished elsewhere or by anyone else, *prior to commencement of such work*. America's Aircraft Engines, Inc. reserves the right to furnish any or all parts thereof.

America's Aircraft Engines, Inc. is not responsible for any consequential loss associated with any failure or defect under this Limited Warranty and no allowance will be made for down time, loss of use, hotel, freight, transportation or any other incidental expense directly or indirectly associated with such defect or failure.

This Limited Warranty is expressly in lieu of all warranties and representations, expressed or implied in fact or by law including, but not limited to, any implied warranty of merchantability or fitness for a particular purpose. The work to which this Limited Warranty applies is deemed to have been accomplished in Tulsa, Oklahoma and in the event of a dispute on this Limited Warranty, the laws of the State of Oklahoma shall apply and any litigation shall be maintained only in the State of Oklahoma in a court of Competent Jurisdiction.

This Limited Warranty gives you specific rights and may be transferred only by express permission in writing by America's Aircraft Engines, Inc.



AMERICA'S AIRCRAFT ENGINES, INC.

The Standard Engine Log
SE-2

© 1992 Aviation Supplies & Academics, Inc.

ISBN 1-56027-051-9
ASA-SE-2

All rights reserved.
Reproduction or use, without
express permission, in any manner,
is prohibited.

Published by
Aviation Supplies & Academics, Inc.
7005 132nd Place SE
Renton, WA 98059-3153

Printed in Canada



P N R A S A - S E - 2



9 781560 270515

Engine Record General Information

Manufacturer Continental Model O-470-S
Serial 464424 Type Certificate _____

This engine is currently installed in aircraft: _____

Minimum Octane Fuel _____ Oil Grade Summer _____ Winter _____

Magneto Time _____ Point Setting _____ Firing Order _____

Spark Plug Gap _____

Manufacturer's Recommended Overhaul at _____ hours

Registered Owner Record

Name	Address	
City	State	From To
Name	Address	
City	State	From To
Name	Address	
City	State	From To
Name	Address	
City	State	From To
Name	Address	
City	State	From To
Name	Address	
City	State	From To
Name	Address	
City	State	From To
Name	Address	
City	State	From To

Notes

CONTINENTAL O-470-S S/N 464424 W/O 1297228
 A.D. NOTES

A.D. 97-21-02 AMEND 39-10155 N/A AFFECTED CYLINDERS NOT INSTALLED.
 A.D. 93-10-02 AMEND 39-8603 N/A AFFECTED CYLINDERS ASSEMBLIES NOT INSTALLED.
 A.D. 93-08-17 AMEND 39-8565 C/W CORRECT PICK-UP TUBE INSTALLED.
 A.D. 91-10-03 AMEND 39-8030 N/A NO OIL FILTER INSTALLED (HAS OIL SCREEN)
 A.D. 88-03-06 AMEND 39-5888 N/A NO OIL FILTER INSTALLED.
 A.D. 79-05-09 AMEND 39-3426 C/W INSTALLED 642335A1 OIL PRESSURE RELIEF VALVE KIT.
 A.D. 72-20-02 AMEND 39-1974 N/A AFFECTED CYLINDERS ASSEMBLIES NOT INSTALLED.
 S.B. M96-10 C/W CRANKSHAFT ULTRASONIC INSPECTION.

Brad Strayer
 BRAD STRAYER A/R 350628087

DATE	RECORDING TACH TIME	TODAYS FLIGHT	TOTAL TIME IN SERVICE	Description of Inspections, Tests, Repairs and Alterations
------	---------------------	---------------	-----------------------	------------------------------------------------------------

19 _____

MAKE CONTINENTAL MODEL O-470-S

SERIAL # 464424 DATE 1/12/98

TIME SMOH 0.0 TOTAL TIME 1064.4

America's Aircraft Engines, Inc. certifies that this engine has been disassembled, overhauled and tested in accordance with recommended procedures and all clearances and tolerances are within specified limits. Procedures and limits used are as contained in engine manufacturers overhaul manual number X30586A.

America's Aircraft Engines, Inc. certifies the engine identified above was overhauled and inspected in accordance with current regulations of the Federal Aviation Administration and is approved for return to service. Following A.D.'s complied with SEE NOTES

Pertinent details of the overhaul are on file at America's Aircraft Engines, Inc. under work order number 1297228

Signed Brad Atay For **America's Aircraft Engines, Inc.**
 Authorized Signature P.O. Box 582453
 Tulsa, OK 74158

FORM AAE 101 CERTIFIED REPAIR STATION NO. IAXR223L

DATE	RECORDING TACH TIME	TODAYS FLIGHT	TOTAL TIME IN SERVICE	Description of Inspections, Tests, Repairs and Alterations
------	---------------------	---------------	-----------------------	------------------------------------------------------------

19 _____

DATE: 2/6/98
 TACH: 4739.8
 HOBBS: 72.7


Installed overhauled O-470-S serial number: 464424 on Cessna 182 serial number: 18264374 using new Lord mounts and servicing engine with 12 quarts of Aeroshell 80 non detergent oil. Ground run aircraft to check engine operation--no defects noted, Joseph F. Tomczuk A&P 500588930 Joseph F. Tomczuk


DATE: 5/20/98
 TACH: 4753.4

Changed oil and filter, installed 12 quarts of Aeroshell 100 non detergent oil and CH48110 filter, ground run-- no defects noted. Joseph F. Tomczuk A&P 500588930 Joseph F. Tomczuk

DATE	RECORDING TACH TIME	TODAYS FLIGHT	TOTAL TIME IN SERVICE	Description of Inspections, Tests, Repairs and Alterations Entries must be endorsed with Name, Rating and Certificate Number of Technician or Repair Facility. (See back pages for other specific entries.)
19				
DATE: 10/3/98	TACH: 4798.1			
				Changed oil and filter, serviced with 12 quarts of Aeroshell 15W50 and CH48110 filter. Ground run--no leaks found.
				<i>Joseph F. Tomczuk</i> Joseph F. Tomczuk A&P 500588930
DATE: 11/27/98	TACH: 4826.2			
				Changed oil and filter, serviced with 12 quarts of Aeroshell 15W50 and CH48110 filter. Ground run--no leaks found.
				<i>Joseph F. Tomczuk</i> Joseph F. Tomczuk A&P 500588930

DATE	RECORDING TACH TIME	TODAYS FLIGHT	TOTAL TIME IN SERVICE	Description of Inspections, Tests, Repairs and Alterations Entries must be endorsed with Name, Rating and Certificate Number of Technician or Repair Facility. (See back pages for other specific entries.)
10				
DATE: 7/1/99	TACH: 4848.6			
				Completed 100 hour inspection this date in accordance with FAR 43 appendix d and Cessna inspection report used as a guide only. Changed oil and filter, serviced with 12 quarts of Aeroshell 15W50 and CH48110 filter. Checked engine controls for security and operation. Checked magneto timing. Inspected engine exhaust system for condition. Cleaned gapped and tested all spark plugs. Replaced all valve cover gaskets with new silicone gaskets P/N: TS534857. I certify that this engine has been inspected in accordance with a 100 hour inspection and was determined to be in airworthy condition.
				<i>Joseph F. Tomczuk</i> Joseph F. Tomczuk A&P 500588930

DATE	RECORDING TACH TIME	TODAYS FLIGHT	TOTAL TIME IN SERVICE	Description of Inspections, Tests, Repairs and Alterations Entries must be endorsed with Name, Rating and Certificate Number of Technician or Repair Facility. (See back pages for other specific entries.)
19 ____				
				DATE: 11/6/99 TACH: 4872.2 Changed oil and filter, serviced with 12 quarts of Aeroshell 15W50 and CH48110, Ground run--no leaks found.  Joseph F. Tomczuk A&P 500588930

DATE	RECORDING TACH TIME	TODAYS FLIGHT	TOTAL TIME IN SERVICE	Description of Inspections, Tests, Repairs and Alterations Entries must be endorsed with Name, Rating and Certificate Number of Technician or Repair Facility. (See back pages for other specific entries.)
19 ____				
				N1575S DATE: 7/3/00 TACH: 4899.0 TTAF: 4899.0 SMOH: 159.2 Completed 100 hour inspection this date in accordance with FAR 43 appendix d and Cessna inspection report used as a guide only. Changed oil and filter, serviced with 12 quarts of Aeroshell 15W50 and CH4810 filter. Checked magmeto timing. Cleaned gapped and checked all spark plugs, replaced 6 spark plugs. Checked engine controls for security and operation. Replaced dip stick rubber hose P/N: 631928. Compression Check: #1-64, #2-74, #3-74, #4-75, #5-76, #6-76. I certify that this engine has been inspected in accordance with a 100 hour inspection and was determined to be in airworthy condition.  Joseph F. Tomczuk A&P 500588930

DATE 19__	RECORDING TACH TIME	TODAYS FLIGHT	TOTAL TIME IN SERVICE	Description of Inspections, Tests, Repairs and Alterations Entries must be endorsed with Name, Rating and Certificate Number of Technician or Repair Facility. (See back pages for other specific entries.)
--------------	---------------------------	------------------	-----------------------------	-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

Date: 7/26/01

N1575S

S/N: 18264374

Tach: 4943.1

TT Airframe: 4943.1

SMOH: 203.3

Completed 100 hour inspection in accordance with FAR 43 appendix (d) and Cessna inspection report used as a guide only. Changed oil and filter, serviced with 12 quarts of Aeroshell 15W50 and CH48110 filter. Checked engine controls for security and operation. Compression Check: #1-72, #2-75, #3-70, #4-72, #5-74, #6-72. Checked magneto timing. Cleaned, checked and gapped all spark plugs. Inspected exhaust system for condition. I certify that this engine has been inspected in accordance with a 100 hour inspection and was determined to be in airworthy condition.

Joseph F. Tomczuk
Joseph F. Tomczuk A&P500588930IA

DATE 19__	RECORDING TACH TIME	TODAYS FLIGHT	TOTAL TIME IN SERVICE	Description of Inspections, Tests, Repairs and Alterations Entries must be endorsed with Name, Rating and Certificate Number of Technician or Repair Facility. (See back pages for other specific entries.)
--------------	---------------------------	------------------	-----------------------------	-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

Advanced Aviation

2801 NE Douglas

Lee's Summit, Mo. 64064

816-524-7778

Date: 1/18/02 N1575S S/N: 18264374 Tach: 4963.3

Changed oil and filter, serviced with 10 quarts of Aeroshell 15W50 and CH48110 filter, ground run and leak checked—OK. Cut open filter, no metal found.

Joseph F. Tomczuk
Joseph F. Tomczuk A&P500588930

DATE 19__	RECORDING TACH TIME	TODAYS FLIGHT	TOTAL TIME IN SERVICE	Description of Inspections, Tests, Repairs and Alterations Entries must be endorsed with Name, Rating and Certificate Number of Technician or Repair Facility. (See back pages for other specific entries.)
8/14/02	5071.3			Drained oil, checked filter for contamination - none found, installed new filter, serviced w/ Shell 15W50, Compression results: #1) 75/80, #2) 71/80 #3) 74/80, #4) 74/80, #5) 72/80, #6) 72/80 I certify that this engine has been inspected in accordance with an ANNUAL inspection & was determined to be in an airworthy condition Kenneth R White AIP 943801361A
TAF	5071.3			
TSMOH	331.5			

CONT 0-4705 S/N 464424 on N 15755 S/N 18264374

DATE 19__	RECORDING TACH TIME	TODAYS FLIGHT	TOTAL TIME IN SERVICE	Description of Inspections, Tests, Repairs and Alterations Entries must be endorsed with Name, Rating and Certificate Number of Technician or Repair Facility. (See back pages for other specific entries.)
5-21-03				Total Time SMOH 529.8 hr. Tach 5,269.6 hr. Total Time engine 1,594.2 hr. installed new Brackett air Filter BA-8103-1, Compression #1 $\frac{79}{80}$ #2 $\frac{78}{80}$ #3 $\frac{77}{80}$ #4 $\frac{78}{80}$ #5 $\frac{80}{80}$ #6 $\frac{80}{80}$ Cleaned & gapped spark plugs serviced with aeroshell 100w 12gts. I certify that this engine has been inspected in accordance with a annual inspection and was determined to be in airworthy condition Edward H Powell AIP 105340667 IA
6-23-03				Tach 5,329.4 hr. Total Time engine 1,654.0 hr Total time SMOH 589.6 hr. Drained and Replaced with 10gts aeroshell 100w AD oil Removed oil Filter and replaced with champion CH 48110 and safetied. operational run up and Leak checked okay. Edward H Powell AIP 105340667

DATE	RECORDING TACH TIME	TODAYS FLIGHT	TOTAL TIME IN SERVICE	Description of Inspections, Tests, Repairs and Alterations <small>Entries must be endorsed with Name, Rating and Certificate Number of Technician or Repair Facility. (See back pages for other specific entries.)</small>
7-21-03	Tach		5355.3 hr.	Total time engine 1779.9 hr.
C18	Compression			check #1 79.80 #2 78.80 #3 78.80 #4 78.80 #5 80.80
TSMOH	Checked for metal			Removed oil F. filter new F. filter installed
	new F. filter			changed C H 48110 and added 1 qt avershell 100w
	Safetad.			Edward H Powell A00105340667

MICHIANA AIRCRAFT SERVICE, INC. ENGINE LOGBOOK ENTRY

N# 1575S MAKE CESSNA MODEL C-182P
TACH 5384.2 TTAF 5384.2 TSMOH 646.9 DATE 2-20-04

- Cleaned, gapped, and tested plugs. Installed 3 new RHM40E spark plugs. Ground run and mag drop checked good.

I certify that this Aircraft has been approved for return to service. For further information see work order #2963 filed under this repair station.

John C. Hoffa
JOHN C. HOFFA for Michiana Aircraft Services, Inc. C.R.S. Q6MR956Y
4323 W. Progress Dr. South Bend, Indiana 46628 574-287-4687

MICHIANA AIRCRAFT SERVICE, INC. ENGINE LOGBOOK ENTRY

N# 1575S MAKE CESSNA MODEL C-182P
TACH 5399.3 TTAF 5399.3 TSMOH _____ DATE 6-1-04

- Complied with Annual inspection in accordance with Cessna 182A Service Manual.
- Installed four (4) new spark plugs.

I certify that this Aircraft has been inspected in accordance with an Annual inspection and determined to be airworthy at this time. For further information see work order # 3099 filed under this repair station.

John C. Hoffa
JOHN C. HOFFA for Michiana Aircraft Services, Inc. C.R.S. Q6MR956Y
4323 W. Progress Dr. South Bend, Indiana 46628 574-287-4687

Alterations
ite Number of
pecific entries.)

DATE	RECORDING TACH TIME	TODAYS FLIGHT	TOTAL TIME IN SERVICE	Description of Inspections, Tests, Repairs and Alterations
19 _____				Entries must be endorsed with Name, Rating and Certificate Number of Technician or Repair Facility. (See back pages for other specific entries.)

MICHIANA AIRCRAFT SERVICE, INC.

4323 West Progress Drive South Bend, IN 46628

Cessna 172

TTA: 5268.22

SMOH: 706.7

Engine Log Entry

Phone: 574-287-4687 Fax: 574-287-7753

N1575S

TET: 1883.7

Date: 6-18-05

Inspections (complied with the following)

- Complied with an Annual inspection.
- Compressions: #1 64/80 #2 64/80 #3 72/80 #4 76/80 #5 76/80 #6 77/80

Maintenance

- Cleaned, gapped, tested and rotated plugs.
- Complied with Oil change. Serviced with Aeroshell W100 and a CH48110 oil filter.
- Lubricated all controls.

This Aircraft was repaired in accordance with the manufactures maintenance manual. All systems interrupted have been tested and/or leak checked as necessary. This aircraft is airworthy and is approved for return to service with respect to the work performed.

DATE	RECORDING TACH TIME	TODAYS FLIGHT	TOTAL TIME IN SERVICE	Description of Inspections, Tests, Repairs and Alterations
19 _____				Entries must be endorsed with Name, Rating and Certificate Number of Technician or Repair Facility. (See back pages for other specific entries.)

I certify that this aircraft has been inspected in accordance with an annual inspection and was determined to be airworthy at this time. All AD's checked up to revision 2005-011F

Signature: _____

Michiana Aircraft Services, Inc.
Date: 6-18-05

John C. Hoffa
C.R.S. Q6MR956Y
Work Order #3833

DATE 19 ____	RECORDING TACH TIME	TODAYS FLIGHT	TOTAL TIME IN SERVICE	Description of Inspections, Tests, Repairs and Alterations Entries must be endorsed with Name, Rating and Certificate Number of Technician or Repair Facility. (See back pages for other specific entries.)
-----------------	---------------------------	------------------	-----------------------------	-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

MICHIANA AIRCRAFT SERVICE, INC.

4323 West Progress Drive South Bend, IN 46628

Engine Log Entry

Phone: 574-287-4687 Fax: 574-287-7753

Cessna 182P

N1575S

TTA: 5500.5

TET: 1825.1

SMOH: 760.7

Date: 6-21-06

Inspections (complied with the following)

- Complied with an Annual inspection.
- Compressions: #1 75/80 #2 72/80 #3 71/80 #4 77/80 #5 78/80 #6 76/80

Maintenance


- Cleaned, gapped, tested and rotated plugs.
- Complied with Oil change. Serviced with Aeroshell W100 and a CH48110 oil filter.
- Lubricated all controls.

This Aircraft was repaired in accordance with the manufactures maintenance manual. All systems interrupted have been tested and/or leak checked as necessary. This aircraft is airworthy and is approved for return to service with respect to the work performed.

DATE 19 ____	RECORDING TACH TIME	TODAYS FLIGHT	TOTAL TIME IN SERVICE	Description of Inspections, Tests, Repairs and Alterations Entries must be endorsed with Name, Rating and Certificate Number of Technician or Repair Facility. (See back pages for other specific entries.)
-----------------	---------------------------	------------------	-----------------------------	-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

This Aircraft was repaired in accordance with the manufactures maintenance manual. All systems interrupted have been tested and/or leak checked as necessary. This aircraft is airworthy and is approved for return to service with respect to the work performed.

I certify that this aircraft has been inspected in accordance with an annual inspection and was determined to be airworthy at this time. All AD's checked up to revision 2006-012F

Signature: 

John C. Hoffa

Michiana Aircraft Services, Inc.

C.R.S. Q6MR956Y

Date: 6-21-06

Work Order #4602

DATE

19

MICHIANA AIRCRAFT SERVICE, INC.

4323 West Progress Drive South Bend, IN 46628

Engine Log Entry

Phone: 574-287-4687 Fax: 574-287-7753

Cessna 182P

TTA: 5500.5

SMOH: 794.0

N1575S

TET: 1858.4

Date: 6-22-07

Inspections (complied with the following)


- Complied with an Annual inspection.
- Compressions: #1 76/80 #2 72/80 #3 70/80 #4 77/80 #5 77/80 #6 76/80

Maintenance

- Cleaned, gapped, tested and rotated plugs.
- Complied with Oil change. Serviced with Aeroshell W100 and a CH48110 oil filter
- Lubricated all controls.

This Aircraft was repaired in accordance with the manufactures maintenance manual. All systems interrupted have been tested and/or leak checked as necessary. This aircraft is airworthy and is approved for return to service with respect to the work performed.

I certify that this aircraft has been inspected in accordance with an annual inspection and was determined to be airworthy at this time. All AD's checked up to revision dated 6-22-07

Signature: 
Michiana Aircraft Services, Inc.
Date: 6-22-07

John C. Hoffa
C.R.S. Q6MR956Y
Work Order #5378

ons

of

s.)

DATE

19

MICHIANA AIRCRAFT SERVICE, INC.

4323 West Progress Drive South Bend, IN 46628

Engine Log Entry

Phone: 574-287-4687 Fax: 574-287-7753

Cessna 182P

TTA: 5552.1

SMOH: 812.3

N1575S

TET: 1876.7

Date: 5-1-08

Inspections (complied with the following)


- Complied with an Annual inspection.
- Compressions: #1 70/80 #2 68/80 #3 76/80 #4 76/80 #5 79/80 #6 78/80

Maintenance

- Cleaned, gapped, tested and rotated plugs.
- Installed 3 new spark plugs.
- Re torqued oil filter adapter and re safetied.
- Complied with Oil change. Serviced with Aeroshell W100 and a CH48110 oil filter.
- Lubricated all controls.

This Aircraft was repaired in accordance with the manufactures maintenance manual. All systems interrupted have been tested and/or leak checked as necessary. This aircraft is airworthy and is approved for return to service with respect to the work performed.

I certify that this aircraft has been inspected in accordance with an annual inspection and was determined to be airworthy at this time. All AD's checked up to revision dated 4-30-08

Signature: 
Michiana Aircraft Services, Inc.
Date: 5-1-08

John C. Hoffa
C.R.S. Q6MR956Y
Work Order #6123

DATE

19 _____

MICHIANA AIRCRAFT SERVICE, INC.

4323 West Progress Drive South Bend, IN 46628

Engine Log Entry

Phone: 574-287-4687 Fax: 574-287-7753

Cessna 182P

TTA: 5575.4

SMOH: 835.6

N1575S

TET: 1900.0

Date: 4-9-09

Inspections (complied with the following)

- Complied with an Annual inspection.
- Compressions: #1 68/80 #2 68/80 #3 72/80 #4 73/80 #5 72/80 #6 74/80

Maintenance

- Cleaned, gapped, tested and rotated plugs.
- Installed new spark plug in cylinder #5.
- Complied with Oil change. Serviced with Aeroshell W100 and a CH48110 oil filter.
- Complied with SOAP sample
- Lubricated all controls.

This Aircraft was repaired in accordance with the manufactures maintenance manual. All systems interrupted have been tested and/or leak checked as necessary. This aircraft is airworthy and is approved for return to service with respect to the work performed.

I certify that this aircraft has been inspected in accordance with an annual inspection and was determined to be airworthy at this time. All AD's checked up to revision dated 4-8-09

Signature: 
 Michiana Aircraft Services, Inc.
 Date: 4-9-09

John C. Hoffa
 C.R.S. Q6MR956Y
 Work Order #6791

DATE

19 _____

RECORDING
TACH
TIMETODAYS
FLIGHTTOTAL
TIME IN
SERVICE**Description of Inspections, Tests, Repairs and Alterations**

Entries must be endorsed with Name, Rating and Certificate Number of Technician or Repair Facility. (See back pages for other specific entries.)

MICHIANA AIRCRAFT SERVICE, INC.

4323 West Progress Drive South Bend, IN 46628

Engine Log Entry

Phone: 574-287-4687 Fax: 574-287-7753

Cessna 182P

TTA: 5606.0

SMOH: 866.2

N1575S

TET: 1930.6

Inspections (complied with the following)


- Complied with an Annual inspection.
- Compressions: #1 62/80 #2 68/80 #3 67/80 #4 66/80 #5 72/80 #6 71/80
- Complied with AD 96-12-22 Oil filter adapter.

Maintenance

- Complied with Oil change. Serviced with Aeroshell W100 and a CH48110 oil filter.

This Aircraft was repaired in accordance with the manufactures maintenance manual. All systems interrupted have been tested and/or leak checked as necessary. This aircraft is airworthy and is approved for return to service with respect to the work performed.

I certify that this aircraft has been inspected in accordance with an annual inspection and was determined to be airworthy at this time. All AD's checked up to revision dated 4-9-10.

Signature: 
 Michiana Aircraft Services, Inc.
 Date: 4-9-10

John C. Hoffa
 C.R.S. Q6MR956Y
 Work Order #7430

DATE
19 ____

RECORDING TACH TIME

TODAYS FLIGHT

TOTAL TIME IN SERVICE

Description of Inspections, Tests, Repairs and Alterations
Entries must be endorsed with Name, Rating and Certificate Number of Technician or Repair Facility. (See back pages for other specific entries.)

Closed

DATE
10 ____

RECORDING TACH TIME

TODAYS FLIGHT

TOTAL TIME IN SERVICE

Description of Inspections, Tests, Repairs and Alterations
Entries must be endorsed with Name, Rating and Certificate Number of Technician or Repair Facility. (See back pages for other specific entries.)